

#### M2D3: Sequence clones and transform into yeast cells

- 1. Prelab discussion
- 2. Isolate peptide\_pCTON2
- 3. Transform peptide\_pCTON2 into yeast cells
- 4. Prepare peptide\_pCTON2 for sequencing



#### Overview of Mod 2 experiments:






Why transform peptide\_pCTON2 plasmid into *E. coli* and then into *S. cerevisiae*?

## Isolate peptide\_pCTON2 plasmid from bacterial cells

- How is genomic DNA separated from plasmid DNA using a commercial miniprep kit?
- Guanidine hydrochloride is a chaotropic salt that aids in isolation of plasmid DNA
  - Denatures proteins / enzymes, including DNAse
  - Disrupts hydrogen bonds formed between water and DNA to facilitate binding to silica-based column
  - Must be collected in separate waste stream!!



## Task 1: Transform peptide\_pCTON2 plasmid into $\Delta$ Met17 yeast cells


• Mechanism used to transform yeast cells not well understood

What is in this kit and how does it work?

- "...procedure utilized in this kit is designed, in some ways, similar to the lithium cation based method...mechanism probably involves some metabolic pathways that we do not fully understand."
- Hypothesized that incubation with positively-charged lithium cations neutralize charges on the yeast cell membrane


## Dropout media used to select for yeast cells that carry peptide\_pCTON2 plasmid

- ▲Met17 yeast cells engineered such that gene needed to endogenously generate tryptophan was removed / mutated
- Cells must acquire tryptophan from
  <sup>(472)</sup>
  the environment (growth media) or
  be equipped to generate tryptophan
  <sup>(433)</sup>
  from exogenous DNA (plasmid)



# Task 2: Prepare peptide\_pCTON2 plasmid for sequencing

- Reactions prepared by combining isolated peptide\_pCTON2 plasmid and sequencing primers
  - One primer per reaction!
- Primers were designed to amplify across peptide insert
- Why do we sequence with a forward and reverse primer?



### For today...

• Prepare sequencing reactions during transformation incubation time

### For M2D4...

- Prepare draft slide for Journal article presentation
  - Use data figure from article to draft 1-2 slides that highlights the information
  - Include the script for how you would describe the information presented on the slide(s)